Annual Index—Volume 24, 1991

Article Index

February 1991

Articles

Acoustic emission measurements during the local monitoring of a defect in the ZB2 pressure vessel
B. Tirbonod and L. Hanacek 3

The effect of sample size on magneto-acoustic emission
Ajay Dhar, C. Jagadish and D.L. Atherton 15

Ultrasonic spectroscopy of composite materials
M. Ourak, B. Nongaillard, J. M. Rouvaen and M. Ouaftouh 21

Evaluation of bond integrity in sandwiched structures by dry couplant ultrasonic technique
C.V. Subramanian, M. Thavasimuthu, P. Palanichamy, D.K. Bhattacharya and Baldev Raj 29

Digital enhancement of LCD-based shadow moiré
A. Asundi 33

NDT Abstracts

Magneto-acoustic emission and the Barkhausen effect 39

April 1991

Articles

A nondestructive method to detect delaminations and defects in plates
K.-E. Fällström 67

Sensitivity of ultrasonic features to the effect of chromic anodization and conversion on the adhesive properties of joints
P.A. Dickstein 77

Monitoring the tensile deformation in real unidirectional Kevlar–epoxy composites
A. Mittelman and I. Roman 85

Biaxial stress measurement using a magnetic probe based on the law of approach to saturation magnetization
T. Utsunomiya, H. Nishizawa and K. Kaneta 91

Location of wire position in tyre belting using Bayesian analysis
L.E. Roemer and N. Ida 95

NDT Abstracts

Vibration testing 98

June 1991

Articles

The detection of defects in GRP lattice structures by vibration measurements
R.D. Adams, J.M.W. Brownjohn and P. Cawley 123

Adaptation of a field nuclear gauge for laboratory density measurements
S.-A. Tan and T.-F. Fwa 135

Application of gamma ray computed tomography to nondestructive testing
M.S. Rapaport and A. Gayer 141

A practical and convenient method for the measurement of focal spots of industrial X-ray tubes
A.B. Doyum and E. Nabel 145

NDT Abstracts

Gamma tomography 150

August 1991

Articles

The effect of nickel hardness and grain size on acoustic and electromagnetic Barkhausen emission
R. Hill, R.S. Geng, A. Cowking and J.W. Mackersie 179

Evaluation of structural defects in brazed ceramic-to-metal joints with C-mode scanning acoustic microscopy
P. Kauppinen and J. Kivilahti 187

NDT of closed cracks by ultrasonic propagation along the crack surface
M. Saka and Y. Fukada 191

A quantitative analysis of pulsed video thermography
S.K. Lau, D.P. Almond and J.M. Milne 195

Flaw cross-section reconstruction using the correlation synthesizing delayed amplitude technique
Z.-X. Guo, L.-A. Tao, S.-L. Gao, Y.-Z. Li and S.-S. Yu 203

X-ray computed tomography examination of inshore mine-hunter hull composite material
P. Lambrineas, J.R. Davis, B. Suendermann, P. Wells, K.R. Thomson, R.L. Woodward, G.T. Egglestone and K. Challis

NDT Abstracts

Radiographic inspection of welds 214

October 1991

Articles

Reliability in NDT: ROC study of radiographic weld inspections
C. Nockemann, H. Heidt and N. Thomsen 235

Detection and sizing by X-ray Compton scattering of near-surface cracks under weld deposited cladding
D. Babot, G. Berodias and G. Peix 247

Measurement of acoustic properties of the composite materials constituting the main rotor hub of the Agusta–Westland helicopter EH-101 (civil version)
L. Tenti, R. Denis and F. Lakestani 253

Monitoring concrete reinforced with bonded surface plates by the acoustic emission method
D.P. Henkel and J.D. Wood 259

NDT Abstracts

Ultrasonic and acoustic testing of concrete 265

December 1991

Articles

Crack shape evolution in tubular welded joints
C.N. Ma and J.C.P. Kam 291

Monitoring fatigue cracks in gears
G. Dalpiaz and U. Meneghetti 303

Automatic discrimination techniques for NDT of metal–ceramic bonds
M. Lethiecq and M. Perdrix 307

Reliability of ultrasonic testing methods for hot-rolled steel bars of medium and small diameter
J.-Z. Xia, H. Sun, X.-W. Fong and F. Huang 313

Relationship between reflected signal amplitude and defect size in rope inspection using a transverse-impulse vibrational wave
H. Kwun and G.L. Burkhardt 317

NDT Abstracts

Wire rope inspection 321

Subject Index

Acoustic emission 3, 85, 259
Acoustic properties 253
Adhesive properties 77
Analytical models 195
Automated techniques 307

Barkhausen emission 179
Bayesian analysis 95
Biaxial stress 91
Bond characterization 307
Bond evaluation 29
Bonded surface plates 259

Ceramic–metal joints 187
Chromic anodization 77
Closed cracks 191
Composites 21, 85, 207, 253
Compton scattering 247
Computed tomography 207
Correlation synthesis 203
Crack detection 247
Crack growth 3, 291

Damaged gear vibration 303
Defect imaging 195
Defect size 317
Delaminations 67

Annual Index—Volume 24, 1991

Article Index

February 1991

Articles

Acoustic emission measurements during the local monitoring of a defect in the ZB2 pressure vessel
B. Tirbonod and L. Hanacek 3

The effect of sample size on magneto-acoustic emission
Ajay Dhar, C. Jagadish and D.L. Atherton 15

Ultrasonic spectroscopy of composite materials
M. Ourak, B. Nongaillard, J. M. Rouvaen and M. Ouaftouh 21

Evaluation of bond integrity in sandwiched structures by dry couplant ultrasonic technique
C.V. Subramanian, M. Thavasimuthu, P. Palanichamy, D.K. Bhattacharya and Baldev Raj 29

Digital enhancement of LCD-based shadow moiré
A. Asundi 33

NDT Abstracts

Magneto-acoustic emission and the Barkhausen effect 39

April 1991

Articles

A nondestructive method to detect delaminations and defects in plates
K.-E. Fällström 67

Sensitivity of ultrasonic features to the effect of chromic anodization and conversion on the adhesive properties of joints
P.A. Dickstein 77

Monitoring the tensile deformation in real unidirectional Kevlar–epoxy composites
A. Mittelman and I. Roman 85

Biaxial stress measurement using a magnetic probe based on the law of approach to saturation magnetization
T. Utsunomiya, H. Nishizawa and K. Kaneta 91

Location of wire position in tyre belting using Bayesian analysis
L.E. Roemer and N. Ida 95

NDT Abstracts

Vibration testing 98

June 1991

Articles

The detection of defects in GRP lattice structures by vibration measurements
R.D. Adams, J.M.W. Brownjohn and P. Cawley 123

Adaptation of a field nuclear gauge for laboratory density measurements
S.-A. Tan and T.-F. Fwa 135

Application of gamma ray computed tomography to nondestructive testing
M.S. Rapaport and A. Gayer 141

A practical and convenient method for the measurement of focal spots of industrial X-ray tubes
A.B. Doyum and E. Nabel 145

NDT Abstracts

Gamma tomography 150

August 1991

Articles

The effect of nickel hardness and grain size on acoustic and electromagnetic Barkhausen emission
R. Hill, R.S. Geng, A. Cowking and J.W. Mackersie 179

Evaluation of structural defects in brazed ceramic-to-metal joints with C-mode scanning acoustic microscopy
P. Kauppinen and J. Kivilahti 187

NDT of closed cracks by ultrasonic propagation along the crack surface
M. Saka and Y. Fukada 191

A quantitative analysis of pulsed video thermography
S.K. Lau, D.P. Almond and J.M. Milne 195

Flaw cross-section reconstruction using the correlation synthesizing delayed amplitude technique
Z.-X. Guo, L.-A. Tao, S.-L. Gao, Y.-Z. Li and S.-S. Yu 203

X-ray computed tomography examination of inshore mine-hunter hull composite material
P. Lambrineas, J.R. Davis, B. Suendermann, P. Wells, K.R. Thomson, R.L. Woodward, G.T. Egglestone and K. Challis

NDT Abstracts

Radiographic inspection of welds 214

October 1991

Articles

Reliability in NDT: ROC study of radiographic weld inspections
C. Nockemann, H. Heidt and N. Thomsen 235

Detection and sizing by X-ray Compton scattering of near-surface cracks under weld deposited cladding
D. Babot, G. Berodias and G. Peix 247

Measurement of acoustic properties of the composite materials constituting the main rotor hub of the Agusta–Westland helicopter EH-101 (civil version)
L. Tenti, R. Denis and F. Lakestani 253

Monitoring concrete reinforced with bonded surface plates by the acoustic emission method
D.P. Henkel and J.D. Wood 259

NDT Abstracts

Ultrasonic and acoustic testing of concrete 265

December 1991

Articles

Crack shape evolution in tubular welded joints
C.N. Ma and J.C.P. Kam 291

Monitoring fatigue cracks in gears
G. Dalpiaz and U. Meneghetti 303

Automatic discrimination techniques for NDT of metal–ceramic bonds
M. Lethiecq and M. Perdrix 307

Reliability of ultrasonic testing methods for hot-rolled steel bars of medium and small diameter
J.-Z. Xia, H. Sun, X.-W. Fong and F. Huang 313

Relationship between reflected signal amplitude and defect size in rope inspection using a transverse-impulse vibrational wave
H. Kwun and G.L. Burkhardt 317

NDT Abstracts

Wire rope inspection 321

Subject Index

Acoustic emission 3, 85, 259
Acoustic properties 253
Adhesive properties 77
Analytical models 195
Automated techniques 307

Barkhausen emission 179
Bayesian analysis 95
Biaxial stress 91
Bond characterization 307
Bond evaluation 29
Bonded surface plates 259

Ceramic–metal joints 187
Chromic anodization 77
Closed cracks 191
Composites 21, 85, 207, 253
Compton scattering 247
Computed tomography 207
Correlation synthesis 203
Crack detection 247
Crack growth 3, 291

Damaged gear vibration 303
Defect imaging 195
Defect size 317
Delaminations 67

Delayed amplitude 203
Density measurement 135
Digital enhancement 33
Dry couplant 29

Eddy currents 95

Fatigue 291
Focal spot size 145

Gamma rays 135, 141
Gear monitoring 303
Geometric unsharpness 145
Glass-reinforced plastic 123, 207

Holographic interferometry 67
Honeycomb 29

Imaging 141

LCD 33

Magnetic probe 91
Magneto-acoustic emission 15
Metal–ceramic bonds 307
Microstructure 15, 179
Modal properties 123

Nickel 179

Performance assessment 235
Pitch-catch 29
Pressure vessels 3
Probes 313

Radiation attenuation 135
Radiographic testing 145
Radiography 235
Reinforced concrete 259
Relative operating characteristic 235
Reliability 313

Sample size 15
Sandwiched materials 29
Saturation magnetization 91
Scanning acoustic microscopy 187
Shadow moiré technique 33
Signal amplitude 317
Spectral analysis 21
Structural defects 187
Structural integrity assessment 123

Tensile deformation 85
Through transmission 29
Time-of-flight technique 191
Tomography 141
Transducer linear array 203
Tubular joints 291

Ultrasonic characterization 253
Ultrasonic cross-section imaging 203
Ultrasonic testing 21, 29, 77, 191, 313

Vibration recovery 303
Video thermography 195

Wire location 95
Wire rope 317

X-rays 247

Author Index

Adams, R.D. 123
Almond, D.P. 195
Asundi, A. 33
Atherton, D.L. 15

Babot, D. 247
Berodias, G. 247
Bhattacharya, D.K. 29
Brownjohn, J.M.W. 123
Burkhardt, G.L. 317

Cawley, P. 123
Challis, K. 207
Cowking, A. 179

Dalpiaz, G. 303
Davis, J.R. 207
Denis, R. 253
Dhar, Ajay 15
Dickstein, P.A. 77
Doyum, A.B. 145

Egglestone, G.T. 207

Fällström, K.-E. 67
Fong, X.-W. 313
Fukada, Y. 191
Fwa, T.-F. 135

Gao, S.-L. 203
Gayer, A. 141
Geng, R.S. 179
Guo, Z.X. 203

Hanacek, L. 3
Heidt, H. 235
Henkel, D.P. 259
Hill, R. 179
Huang, F. 313

Ida, N. 95

Jagadish, C. 15

Kam, J.C.P. 291
Kaneta, K. 91
Kauppinen, P. 187
Kivilahti, J. 187
Kwun, H. 317

Lakestani, F. 253
Lambrineas, P. 207
Lau, S.K. 195
Lethiecq, M. 307
Li, Y.-Z. 203

Ma, C.N. 291
Mackersie, J.W. 179
Meneghetti, U. 303
Milne, J.M. 195
Mittelman, A. 85

Navel, E. 145
Nishizawa, H. 91
Nockemann, C. 235
Nongaillard, B. 21

Ouaftouh, M. 21
Ourak, M. 21

Palanichamy, P. 29
Peix, G. 247
Perdrix, M. 307

Raj, Baldev 29
Rapaport, M.S. 141
Roemer, L.E. 95
Roman, I. 85
Rouvaen, J.M. 21

Saka, M. 191
Subramanian, C.V. 29
Suendermann, B. 207
Sun, H. 313

Tan, S.-A. 135
Tao, L.-A. 203
Tenti, L. 253
Thavasimuthu, M. 29
Thomsen, N. 235
Thomson, K.R. 207
Tirbonod, B. 3

Utsunomiya, T. 91

Wells, P. 207
Wood, J.D. 259
Woodward, R.L. 207

Xia, J.-Z. 313

Yu, S.-S. 203